Business Critical Communications



DN400 Series 4G LTE Wi-Fi PoC Radio



DN400 Series

4G LTE Wi-Fi PoC Radio

Part of Entel's E-PoC Push-to-Talk over Cellular (PoC / Wi-Fi) Solution, DN400 4G LTE Wi-Fi PoC radios operate on National cellular networks. Combine this with the simplicity of traditional PTT operation and DN400 radios deliver a significant step forward in capability and user benefits. A Smartphone App, Radio Gateway and Dispatcher options add even more flexibility.

Practically Unlimited Range

DN400 radios deliver instantaneous PTT calling over Cellular & Wi-Fi networks. Entel's multi-network unsteered roaming sim offers the very best network access and coverage.

Basic to Advanced Configuration

DN400 radios can be configured for simple press to talk operation or the more sophisticated features that you'd expect of a high-end two-way radio system.

No Limitations

The DN400 enables your workforce to make a practically unlimited number of simultaneous calls.

No License, No Interference!

There's no need for a radio license and best of all you won't suffer channel interference from other radio users.

Cost Effective

With no need for your own expensive infrastructure Entel's simple pricing options are especially attractive when compared to traditional two-way radio systems.

Ready To Go

DN400 radios are supplied preconfigured and ready for use, just unpack, charge and go!



Entel's E-PoC software has been optimised in conjunction with TASSTA GmbH





Instantaneous Updates

DN400 radios are updated and programmed over the air (OTA), instantly, no matter where they are.

Scalable

Entel's simple and flexible pricing options can be adapted to your business needs. There are no heavy up-front Infrastructure or ongoing Site / Line rental, IP Link or License costs to worry about.

Cross Platform Communications

DN400 radios form part of a solution that can unify your mobile communications. Other products in the range include a PC Dispatcher App, Smartphone App & Radio Gateway (allowing connection with existing radio systems), everyone can talk together at the press of a button.

Secure & Resilient Communications

Entel's service utilises AES-256 encryption to ensure the highest level of privacy and data security. Entel's servers are locally hosted, e.g. Entel's EU server is hosted in a UK Tier III+ data centre with further remote back up servers.



Emergency Features

As standard, the DN400 Series supports Emergency button, Lone-Worker and Man-Down with automatic transmission of the radio's GPS location.



Comprehensive Maintenance

In addition to the standard 2-Year Warranty, Entel's optional 3 / 5-Year Comprehensive Maintenance service also covers accidental damage.

Presence Check

If required, DN400 radios can be configured to indicate which users are on-line.

Ultra-Compact & Loud!

DN400 radios are the most robust, compact commercial Grade LTE radios available today. Despite their compact size they produce outstanding audio clarity & volume levels that exceeds radios twice their size.

Accessories

A comprehensive range of high quality Entel accessories are available from covert earpieces to bone conductive and Bluetooth options.

Lowest Call Latency

Entel's, Radios, Apps, Servers and SIM's have all been optimised to deliver call latency times equivalent to DMR radio systems.

Rapid Deployment

DN400 radios can be deployed anywhere in just a few hours. Perfect for applications such as highways maintenance, events and logistics etc.

Key Features

- √Compact, rugged
- ✓ IP68 Submersible
- ✓ Outstanding battery endurance
- \checkmark 3 Watts of audio, loudest in class
- ✓ Built-in GPS & Bluetooth
- ✓AES256 Encryption as standard

- ✓OTA Programming & Updates
- ✓ Practically unlimited range
- ✓ Practically unlimited simultaneous calls
- ✓ High contrast white on black OLED display
- ✓ No expensive license fees or Infrastructure
- \checkmark Works out of the box

Technical Specification

Frequencies, Standards & Approvals	
Frequency Bands	DN495 EMEA, Korea, Thailand, India LTE FDD: B1/B3/B5/B7/B8/B20 LTE TDD: B38/B40 WCDMA: B1/B5/B8 GSM: 850/900/1800/1900MHz 2.4G/5.8G 802.11 a/b/g/n* Other band variants available on request
Wi-Fi	2.4GHz / 5.8GHz 802.11 a/b/g/n*
Bluetooth	BT2.1+EDR / 3.0 / 4.1LE
Satellite positioning	GPS / GLONASS / BeiDou (BDS)
Dust & Liquid protection	IP68 (2 metres for 4 hours fully submersible)
Shock & Vibration Drop test Packing test	MIL-STD-810 C/D/E/F/G
Encryption	AES256
ESD	IEC 61000-4-2
Approvals	Please see: www.entel.co.uk/red

General	
Channel capacity	Virtually unlimited
Contact list	>1000
Dimensions	97mm x 59.5mm x 33mm (with CNB420E battery) 97mm x 59.5mm x 37mm (with CNB450E battery)
Weight	243g (with CNB420E battery) 267g (with CNB450E battery)
Battery, Capacity / Chemistry / Endurance (5/5/90)	CNB420E - 1350mAh - Li-Ion - 11 Hours** CNB450E - 2000mAh - Li-Ion - 17 Hours**
SIM Card slot	Nano (4FF) Entel's SIM is internal to the radio
Audio Output	3-Watts RMS (internal & external speaker)
Microphone	Echo cancellation & Noise reduction
Operating Temperature	-20 to +60°C
Storage Temperature	-30 to +75°C

* 5.8GHz variant on request

**With GPS & Bluetooth off



Accessories

Supplied package includes: Li-Ion battery pack, rapid drop-in charger, belt clip, high-efficiency antenna and quick-start user guide.



CSBHX Six-way charger



CMP/DX Submersible heavy-duty speaker microphone



EA12/DX Earpiece microphone



CXR16/DX* Bone conductive throat mic, submersible PTT



EA15/DX Covert earpiece microphone



CXE19/DX Submersible bone Conductive skull mic



CHP450HS/DX* Hard hat ear defender submersible PTT



CHP450D/DX* Headband ear defender submersible PTT



Submersible products are represented with a water droplet.

For the complete range of accessories please visit our website. All specifications are subject to change without notice.

* Submersible - PTT only



Contact

For more information about our products, please contact us: Entel UK, 320 Centennial Avenue Centennial Park, Elstree, Borehamwood, Hertfordshire WD6 3TJ, United Kingdom

 \Diamond



🖂 info@entel.co.uk

